

CORON®

CODE
60

14-2-14 PLUS MICROS

CONTROLLED RELEASE LIQUID TURF AND HORTICULTURAL FERTILIZER

GUARANTEED ANALYSIS

Total Nitrogen (N)	14.00%	Iron (Fe)	0.10%
5.6% Urea Nitrogen		0.10% Chelated Iron (Fe)	
8.4% Other Water Soluble Nitrogen*		Manganese (Mn)	0.05%
Available Phosphate (P ₂ O ₅)	2.00%	0.05% Chelated Manganese (Mn)	
Soluble Potash (K ₂ O)	14.00%	Zinc (Zn)	0.05%
Copper (Cu)	0.05%	0.05% Chelated Zinc (Zn)	
0.05% Chelated Copper (Cu)			

Derived from urea, methylene diurea, methylene ureas, phosphoric acid, potassium carbonate, copper EDTA, iron EDTA, manganese EDTA and zinc EDTA. The chelating agent is EDTA (ethylenediaminetetraacetic acid).

*8.4% Slowly available nitrogen from methylene diurea and methylene ureas.

Lbs./Gal.	11.3	Lbs. P ₂ O ₅ /Gal.	0.224
Lbs. N/Gal.	1.56	Lbs. K ₂ O/Gal.	1.56

KEEP OUT OF REACH OF CHILDREN CAUTION

USE WITHIN 9 MONTHS FROM DATE OF PURCHASE. MAY CAUSE IRRITATION. HARMFUL IF SWALLOWED.
See Inside Panel For Additional Precautionary Statements.

SN 1210/0311

Information about the components of this lot of fertilizer may be obtained by writing to Helena Chemical Company, 225 Schilling Boulevard, Suite 300, Collierville, TN 38017 and giving the lot number which is found on the container.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfc.org/metals.htm>.

F224

Manufactured For

HELENA CHEMICAL COMPANY

225 SCHILLING BOULEVARD, SUITE 300 • COLLIERVILLE, TENNESSEE 38017

PEEL BACK BOOK HERE AND RESEAL AFTER OPENING ►

NET CONTENTS:

PRECAUTIONARY STATEMENTS

CAUTION

BEFORE USING THIS PRODUCT, READ ALL PRECAUTIONS, DIRECTIONS FOR USE, CONDITIONS OF SALE—LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES.

Avoid contact with formulated product. Do not take internally. Avoid contact with or inhalation of the spray mist. Do not apply this product in such a manner as to directly expose workers or other persons. If product is being mixed with pesticides and/or spray adjuvants, follow all precautionary statements on the accompanying product(s) labeling.

Avoid contact with eyes and prolonged contact with skin to avoid irritation. Wear safety glasses and chemical-resistant gloves. Not for human or animal consumption.

WHAT TO DO IN CASE OF CONTACT:

IF IN EYES: Flush eyes with water for 15 minutes, holding eyelids open. Obtain medical attention if irritation develops.
IF ON SKIN: Wash skin thoroughly with soap and water. Get medical attention if irritation develops.
IF SWALLOWED: Drink large volumes of water and induce vomiting by placing finger at back of throat. Call a physician or poison control center.
IF INHALED: Move to fresh air. Obtain medical attention if irritation develops.

GENERAL INFORMATION

0.94 lb./gal. of Nitrogen, out of 1.56 lbs./gal. of the total Nitrogen in this product, is controlled release.

Foliar fertilization is intended as a supplement to a regular fertilization program and will not, by itself, provide all the nutrients normally required by crops or other intended plants.

CoRoN® 14-2-14 Plus Micros is a liquid fertilizer with the unique properties that fit turf, ornamental and horticultural feeding needs. **CoRoN® 14-2-14 Plus Micros** contains nitrogen from controlled release methylene ureas along with additional nutrients to provide a quick turf green-up and prolonged release. **CoRoN® 14-2-14 Plus Micros** does not promote unnecessary surge growth and reduces clipping volumes, while minimizing leaching. **CoRoN® 14-2-14 Plus Micros** is compatible with most fungicides, herbicides and insecticides to allow time-saving tank mix applications. **CoRoN® 14-2-14 Plus Micros** is a true liquid solution that is easily applied with standard spray equipment.

PRECAUTION: Use of the product in accordance with label directions is not expected to adversely affect normal vegetative and/or reproductive growth in most situations. However, various environmental and agronomic factors, such as plant stress associated with high temperatures and/or dry conditions, make it impossible to eliminate all risks associated with the use of the product; therefore, plant injury is always possible. The user assumes all risks of use and handling. In an effort to reduce the risk of plant injury, apply early morning or late evening.

GENERAL RECOMMENDATIONS

PRECAUTION: Do not exceed 2.0 lbs. N per 1,000 sq. ft. per application.

BENT GRASS: 4.5–6.8 lbs. of nitrogen per 1,000 sq. ft. per year applied in multiple applications of 1/8 to 1/4 lb. of nitrogen. Use higher rates in areas with prolonged growing seasons, areas of high foot traffic or in “grow-in” situations.

BERMUDA GRASS: 9–11.5 lbs. of nitrogen per 1,000 sq. ft. per year in multiple applications of 1/4 to 1/2 lb. of nitrogen. Use higher rates in areas with prolonged growing seasons, areas of high foot traffic or in “grow-in” situations.

BLUE GRASS & OTHER COOL SEASON GRASSES: 3.75–4.25 lbs. of nitrogen per 1,000 sq. ft. per year applied in multiple applications. Use higher rates in areas with prolonged growing seasons, areas of high foot traffic or in “grow-in” situations.

ST. AUGUSTINE & OTHER WARM SEASON GRASSES: 2.5–3.5 lbs. of nitrogen per 1,000 sq. ft. per year applied in multiple applications. Use higher rates in areas with prolonged growing seasons, areas of high foot traffic or in “grow-in” situations.

TREE & SHRUB:

Deep Root Feeding:

DBH Method: Apply 1/4 to 1/2 lb. of N per inch of trunk diameter or per ft. of shrub height.

Square Foot Method: Apply 1 to 3 lbs. N per 1,000 sq. ft. area.

Mixing Procedures: Mix 5 gallons fertilizer per 95 gallons water for total volume 100 gallons. Provides 0.078 lb. N per gallon of finished blend. Utilize required amount of mixed blend to provide the N desired: Example 8 inch DBH requires 25 gallon for 2 lbs. N.

Square Ft. Method: lb. of N required per 1,000 sq. ft. divided by lb. N per gallon of mixture = Gallons of mix product required per 1,000 sq. ft.

Addition of Hydra-Hume may increase fertilizer efficiency. Add at 1% Volume to Volume to the fertilizer mixture.

ORNAMENTAL & CONTAINER GROWN PLANT MATERIAL: Use 1/2 to 2 gals. per 100 gals. of water per application dependent upon plant requirements. Apply as a foliar spray or as a soil drench. Apply upon signs of nutrient deficiency or as necessary to maintain optimal plant growth and vigor.

STORAGE

Store unblended material in closed container between 35°F and 90°F. Do not store in unmarked containers.

APPLICATION

Application Rate	Total Nitrogen Supplied	Controlled Release Nitrogen Supplied
Ounces	Pounds	Pounds
20.5	0.25	0.15
41.0	0.50	0.30
61.5	0.75	0.45
82.0	1.00	0.60
102.5	1.25	0.75

BLENDING INSTRUCTIONS

PRECAUTION: Apply in water carrier at no less than 2 to 5 gallons per 1,000 sq. ft.

Shake or agitate prior to use. Dilute with water and blend with other nutrients and pesticides only at the time of application and in the amounts required.

TANK MIXING

Add 1/2 total water to the tank.
Turn on recirculation line.
Add prescribed amount of **CoRoN® 14-2-14 Plus Micros** to tank.
Add liquid flowable materials.
Add any soluble powders.
Bring water to volume and recirculate before spraying.

CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale - Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded.

This label is believed to be reliable and should be followed carefully. Injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Helena Chemical Company (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to subject to the factors noted above which are beyond the control of the Company. The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Helena Chemical Company's election, one of the following:

1. Refund of the purchase price paid by buyer or user for product bought, or
2. Replacement of the product used

To the extent allowed by law, the Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

© Copyright Helena Holding Company, 2011.

CoRoN® is a registered trademark of Helena Holding Company.

AOAC Official Method 2003.14
Determination of Urea in Water-Soluble
Urea-Formaldehyde Fertilizer Products
and in Aqueous Urea Solutions

14-2-14 PLUS MICROS

CONTROLLED RELEASE LIQUID TURF AND HORTICULTURAL FERTILIZER

GUARANTEED ANALYSIS

Total Nitrogen (N)	14.00%	Iron (Fe)	0.10%
5.6% Urea Nitrogen		0.10% Chelated Iron (Fe)	
8.4% Other Water Soluble Nitrogen*		Manganese (Mn)	0.05%
Available Phosphate (P ₂ O ₅)	2.00%	0.05% Chelated Manganese (Mn)	
Soluble Potash (K ₂ O)	14.00%	Zinc (Zn)	0.05%
Copper (Cu)	0.05%	0.05% Chelated Zinc (Zn)	
0.05% Chelated Copper (Cu)			

Derived from urea, methylene diurea, methylene ureas, phosphoric acid, potassium carbonate, copper EDTA, iron EDTA, manganese EDTA and zinc EDTA. The chelating agent is EDTA (ethylenediaminetetraacetic acid).

*8.4% Slowly available nitrogen from methylene diurea and methylene ureas.

Lbs./Gal.	11.3	Lbs. P ₂ O ₅ /Gal.	0.224
Lbs. N/Gal.	1.56	Lbs. K ₂ O/Gal.	1.56

KEEP OUT OF REACH OF CHILDREN CAUTION

**USE WITHIN 9 MONTHS FROM DATE OF PURCHASE. MAY CAUSE IRRITATION. HARMFUL IF SWALLOWED.
See Inside Panel For Additional Precautionary Statements.**

SN 1210/0311

Information about the components of this lot of fertilizer may be obtained by writing to Helena Chemical Company, 225 Schilling Boulevard, Suite 300, Collierville, TN 38017 and giving the lot number which is found on the container.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>.

F224

Manufactured For

HELENA CHEMICAL COMPANY

225 SCHILLING BOULEVARD, SUITE 300 • COLLIERVILLE, TENNESSEE 38017